

FIRST RECORD OF *FUSARIUM* TUBER ROT IN *BORASSUS FLABELLIFER* L. SEEDLINGS FROM INDIA

Kiran M.^{1*}, Krishnanunni M. R.², Gopakumar S.³, Vidyasagaran K.⁴ and Reshmy V.⁵

^{1,3,4}Department of Natural Resource Management, College of Forestry, Kerala Agricultural University, ²Department of Food and Resource Economics, University of Copenhagen, Denmark, ⁵Department of Plant Pathology, College of Horticulture, Kerala Agricultural University.
Email: mohan.kiran959@gmail.com

Received-08.08.2020, Revised-30.08.2020

Abstract: This article reports the first case of *Fusarium solani* caused tuber rot in *Borassus flabellifer* from India.

Keywords: Fusarium, India, Palmyra, Seedling, Tuber rot

REFERENCES

Bhuvanewari, V., Venkataramana, K.T., Bhagavan, B.V.K. and Nagalakshmi, R. (2010) *Thielaviopsis* state of *Ceratocystis paradoxa*— a new pathogen causing tuber rot of palmyrah. *Indian Phytopath* 63(3): 359.
Blatter, E. (1926). The palms of British India and Ceylon. Oxford Univ Press, London.
Maheshwarappa, H.P. and Rajkumar (2014). Research Accomplishment of AICRP on Palms (1972-2014). A technical bulleting no. 85 of All India Co-ordinated Research Project on Palms CPCRI Kasargod, Kerala. pp.35-36.

Marudarajan, D. (1941). Observations on the production of sexual organs in paired cultures of *Phytophthora* species of the *Palmivora* group. *Proc Indian AcadSci* 14: 384—389.

McRae, W. (1923). History of the operations against bud-rot of palms in South India. Inoculation experiments with *Phytophthora palmivora* BUTL. On *Borassus flabellifer* LIN. And *Cocos nucifera* LINN. *Mem. DeptAgricIndia Bot Ser* 12: 21-70.

Sankaralingam, A. (1999). Management of tuber rot in Palmyrah palm. *J Myco Plant Pathol* 29(1): 114-115.

*Corresponding Author