SCREENING OF LITCHI GENOTYPES AGAINST BARK EATING CATERPILLAR, *INDARBELLA* SP.

P.K. Bhagat*, J.L. Ganguli², G.P. Painkra¹, and Bhupesh Joshi²

 ¹RMD College of Agriculture and Research Station, Ambikapur, Surguja Chhattisgarh-497001 India
² Department of Entomology College of Agriculture, Raipur 492012 Chhattisgarh India Email: gppainkrarmd@gmail.com

Received-04.07.2017, Revised-18.06.2017

Abstract: Bark-eating caterpillar, *Indarbella sp.* was found to be the most heavily infested pest on litchi at Ambikapur, Surguja district of Chhattisgarh. Twenty one year old twenty genotypes of litchi were tested against *Indarbella sp* no any single genotype with no bark-eating caterpillar attack had been found, all the genotypes were categorized as heavy infestation category. The incidence and intensity of bark eating caterpillar was showed significantly differences on different litchi genotype, the genotype Dehradun was found minimum per cent incidence (53.33 -56.67) and low numbers of active holes/ tree (5.3- 5.7) during the course of study year 2015 and 2016. The mean incidence of bark eating caterpillar on Dehradun genotype was 55.00 percent and 5.5 numbers of active holes/ tree.

Keywords: Litchi, Bark eating caterpillar, Indarbella sp.

REFERENCES

Anonymous (1999). Collection evaluation and standardization of agro-techniques on litchi cultivation in northern hill region of Chhattisgarh. ICAR Ad-hoc research project. IGKV Zonal agricultural research station .pp 30-31.

Anonymous (2013). Indian fruit crop wise area, production, productivity data from different state of country. Ministry of fruit processing industries. Government of India. p. 2.

Atwal, A. S. and Dhaliwal, G. S. (2010). Agricultural pests of south asia and their management. Kalyani Publishers, Ludhiana. p.616.

Gupta, D., Naram, S. and Bhatia, R. S. (2014). Incidence, intensity and management of bark eating caterpillar, *Indarbela* sp. infesting fruit trees in Himachal Pradesh, India *Pest Management in Horticultural Ecosystems*.**20**(1):1-7.

Hameed, S. F., Singh, P. P. and S. P. (2001). Pest *In*: Litchi. Botany, production and utilization (*eds.*)

K. S. Chauhan, Kalyani Publishers, Ludhiana, pp. 194 - 208.

Khurana, A. D. and Gupta, O. P. (1972). Bark eating caterpillars pose a serious threat to fruit trees. *Indian Farmers Digest* **5**: 51-52.

Mathew, G. (1997). Management of the bark caterpillar *Indarbela tetraonis* in forest plantations of *Paraserianthes falcataria, Kerala Forest Research Institute, Peechi, Thrissur Report.* p.24.

Sharma, D.D. and Kumar, H. (1986). How to control bark-eating caterpillars. *Indian Horticulture*. **31**(1): 25.

Verma, A. N. and Khurana, A. D. (1976). Survey on the incidence of bark eating caterpillar, *Indarbela* spp. on different fruit trees in Haryana. *Haryana Agricultural University Journal of Research.* 2: 93-96.

Verma, A.N. and Khurana, A.D. (1974). Further new host records of *Indarbela* species (Lepidoptera: Metarbelidae). Haryana Agricultural University, Journal of Research. 4(3): 253-254.