## ANTIBACTERIAL INVESTIGATION OF BLACK PEPPER AGAINST SHIGELLA DYSENTERIAE

## Vishal Kumar Deshwal\*

Department of Microbiology, Doon (P.G.) Paramedical College, Dehardun-248001 (India) \*e-mail id: vishal\_deshwal@rediffmail.com

**Abstract :** Aim of this study was to evaluate the antibacterial activity of different extracts of *Piper nigrum* L. against *Salmonella typhi*. Three extracts such as aqueous, ethanolic and chloroform extracts of *Piper nigrum* seeds were prepared. 4 different concentrations such as 15, 20, 25, 30 mg/ml of them were made. Antimicrobial activity was determined by Agar well diffusion method. Results showed that 30 mg/ml of aqueous, ethanol and chloroform extract of *Piper nigrum* gave 23.2±0.2, 22.4±0.2, 22.2±0.4 mm of inhibition zones, respectively. Aqueous extract was observed to be best among all extract of *Piper nigrum*.

**Keywords**: Piper nigrum, Shigella dysenteriae

## REFERENCE

Joshi, B.; Lekhak, S. and Sharma, A. (2009). Antibacterial property of different medicinal plants: Ocimum sanctum, Cinnamomum zeylanicum, Xanthoxylum armatum and Origanum majorana. Kathmandu University Journal of Science, Engineering and Technology, 5(1): 143-150.

**Ahmad, I.; Mehmood, Z. and Mohammad, F.** (1998). Screening of some Indian medicinal plants for their antimicrobial properties. *Journal of Ethnopharmacology*, **62**: 183-193.

Janovská, D.; Kubīková, K. and Kokośka, L. (2003). Screening for antimicrobial activity of some medicinal plants species of traditional Chinese medicine. *Czech Journal of* Food Sciences, **21**: 107-110.

**Deshwal, V.K. and Vig, K.** (2011a). Screening for Antibacterial activity of seeds of *Tribulus terrestris* L. growing in Uttarakhand (INDIA). International Journal of Pharmaceutical Invention, **1(1)**: 42-46.

**Evans, W.C.** (1997). Trease and Evans' pharmacognosy, 14th edn. W. B. Saunders, London. pp.: 63-364.

**Lee, E.B.; Shin, K.H. and Woo, W.S**. (1984). Pharmacological study on piperine. Archives of *Pharmacal Research*, **7**: 127-132.

**Koul IB and Kapil A.** (1993). Evaluation of the liver protective potential of piperine, an active

principle of black and long peppers. *Planta Medica*, **59**: 413-417.

**Khajuria**, **A.**; **Thusus**, **N.**; **Zutshi**, **U.** and **Bedi**, **K.L.** (1997). Antioxidant potential of piperine on oxidant induced alterations in rat intestinal lumen. *Indian Drugs*, **34**: 557-563.

**Deshwal, V.K.** (2012a). Antibacterial Activity of Seeds of *Mucuna pruriens* Against *Escherichia coli* and *Staphylococcus aureus*. Global Journal of Research on Medicinal Plants & Indigenous Medicine, **1(4)**:109-113

**Deshwal, V.K. and Vig, K.** (2011b). Isolation and characterization of Urinary tract infection (UTI) causing pathogens and their comparative study in different genders. *Development Microbiology and Molecular Biology*, **2(2)**: 113-116.

**Ahmad, I. and Beg, A.Z.** (2001). Antimicrobial and phytochemical studies on 45 Indian plants against multi-drug resistant human pathogens. Journal of Etnopharmacology, **74**: 113-123.

**Deshwal, V.K.** (2012b) Antibacterial activity of *Piper nigrum* Linn. against *E. coli* causing Urinary tract infection. *International Journal of Pharmaceutical Invention*, **2(2)**: 1-7.

**Hindumathy, C.K.** (2011). *In vitro* study of antibacterial activity of *Cymbopogon citratus*. World Academy of Scienec, Engineering and Technology, **74**: 193-197.