SCREENING OF SORGHUM GENOTYPE ENOTYPES FOR SHOOT FLY, ATHERIGONA SOCCATA RONDANI (DIPTERA: MUSCIDAE) OVIPOSITIONAL BEHAVIOR

S. Joshi, T. Hussain, B.M. Meena, R. Nagar, V.S. Kirar, A. Meena and R.S. Choudhary

Department of Entomology, Rajasthan College of Agriculture, MPUAT, Udaipur – 313001 Email: meenakabir8@gmail.com, rajendranagar86@gmail.com

Abstract: The twenty five sorghum genotypes evaluated against shoot fly, genotypes SU 1394, SU 1397 and SU 1400 performed better being less preferred for oviposition on the 14^{th} and 21^{st} day after germination with a mean oviposition of 55.77 and 61.14, 56.84 and 60.00 and 54.75 and 61.33 per cent, respectively and next to resistant check IS 2312.

Keywords: Shoot fly, Oviposition, Dead heart

REFERENCES

Ameta O P and Dhadheech H (2001). Evaluation of SU line for resistance to shoot fly, *Atherigona soccata* (Rondani) and stem borer, *Chilo partellus* (Swinhoe). National Conference: Plant Protection New Horizons in the Millennium, Udaipur pp **49**: 23-25.

Khandare R P and Patil S P (2010). Screening of advanced breeding material of sorghum against shoot fly, *Atherigona soccata* [Rondani]. *Crop Research* Hisar **39** : 94-97.

Krishananda A, Jayaraj S and Subramanian T M (1970). Resistance in sorghum to stem fly, *A*.

Soccata. Maharashtra Agricultural Journal **57** : 674-679.

Sharma H C (1993). Host Plant resistance to insects in sorghum and its role in integrated pest management. *Crop Protection*, **12**: 11-34.

Singh S P and Jotwani M G (1980). Mechanisms of resistance in sorghum to shoot fly IV. Role of morphological characters of seedlings. *Indian Journal of Entomology* **42**: 806-808.

Somashekhar (1985). Studies on the bio-ecology and control of sorghum shoot fly, *Atherigona soccata* (Rondani) (Diptera: Muscidae). *M. Sc. (Agri.) Thesis*, University of Agricultural Sciences, Dharwad.