

OBSERVATION ON NATURAL DYE YIELDING PLANTS OF CENTRAL NARMADA VALLEY INDIA

Mahendra Singh Choudhary and Ravi Upadhyay

*Department of Botany
Government Narmada P. G. College, Hoshangabad M. P.
Email-drru12000@yahoo.co.in*

Abstract: The present study mainly focuses on the Some Dyes yielding plants from central Narmada valley of Central India. As many as 150 species were screened for dye, out of these 34 species belonging to 29 genera and 22 families are presented in this research article. The botanical name, family, vernacular name and parts from which dye is obtained are described in this paper.

Keywords: Dyes, Plants, Central Narmada Region, Hoshangabad, India

REFERENCES

- Chandramouli, K. V.** (1995), *Sources of Natural Dyes in India – A Compendium with Regional Names*, PPST Foundation, Chennai.
- Cooke, T.** (1975). (Repr.) *Flora of Bombay* (3 Vols.) Bishen Singh Mahendra Pal Singh. Dehradun.
- Gerson, H.** (1975). Fungi toxicity of 1,4-naphthoquinones to *Candida albicans* and *Trichophyton mentagrophytes*. *Can. J. Microbiol.*, **21**: 197–205.
- Gulrajani, M. L.** (1992). *Introduction to Natural Dyes*, Indian Institute of Technology, New Delhi.
- Gulrajani, M. L.** (2001). Present status of natural dyes. *Indian J. Fibre Text. Res.*, **26**: 191–201.
- Hussein, S. A. M.; Barakat, H. H.; Merfort, I. and Nawwar, M. A. M.** (1997), Tannins from the leaves of *Punica granatum*. *Photochemistry*, **45**: 819–823.
- Jain, S.K.** (1991). *Dictionary of Indian folk medicine*, Deep Publication, New Delhi
- Mahanta, D. and Tiwari, S. C.** (2005). Natural dye-yielding plants and indigenous knowledge on dye preparation in Arunachal Pradesh, Northeast India, *Curr. Sci.*, **88**: 1474–1480.
- Mukherjee, A.K.** (1984). *Flora of pachmarhi and Bori reserve Bot. Surv. India Howdah.*
- Oommachhan, M.** (1977). *The flora of Bhopal (Angiosperms)* J.K. Jain Bros, Bhop.
- Randhawa, M.S.** (1983). “Flowering trees” National book trust, New Delhi.
- Schuerch, A. R. and Wehrli, W.** (1978). *b*-Lapachone, an inhibitor of oncornavirus reverse transcriptase and eukaryotic DNA polymerase inhibitory effect, thiol dependence and specificity. *Eur. J. Biochem.*, **84**: 197–205.
- Singh, R. V.** (2001). Colouring plants – An innovative media to spread the message of conservation. *Down to Earth*, 20 September, pp. 25–27.
- Singh, R.; Jain, A.; Panwan, S.; Gupta, D. and Khare, S. K.** (2005). Antimicrobial activity of natural dyes. *Dyes Pigm.* **66**: 99–102. 305–323.
- Siva, R.** (2007). Status of natural dyes and dyes yielding plants in India. *Curr. Sci.*, **92**: 916 – 925.
- Siva, R. and Krishnamurthy, K. V.** (2005). Genetic diversity studies on *Bixa orellena* Linn. using isozyme data. In *Plant Taxonomy: Advances and Relevance* (eds Pandey, A. K., Wen, Jun and Dorga, J.V. V.), CBS Publishers, pp. 411–422.
- Siva, R. and Krishnamurthy, K. V.** (2005). Isozyme

diversity on *Cassia auriculata*. *Afr. J. Biotechnol.* **4**: 772–775.

Vanker, P. S. (2000). Chemistry of natural dyes. *Resonance.* **5**: 73– 80.

Verma, D. M.; Balakrishnan, N.P.; Dixit, R.D. (1993). Flora of Madhya Pradesh Vol. 1, Botanical Survey of India, department of

environment and forest, government of India, Calcutta. pp 69, 50, 72, 74.

Wagner, H.; Kreher, B.; Lotter, H.; Hamburger, M. O. and Cordell, G. A. (1989). Structure determination of new isomeric naphthol [2,3,-b]furan-4,9-diones from *Tabebuia avellanae* by the selective INEPT technique. *Helv. Chim. Acta*, **72**: 659–667.