EFFECT OF MAGNETISM ON SEEDLING GROWTH OF HORDEUM VULGARE

Vipin Kumar, K.K. Sharma and A.K. Bhargava*

Deptt. of Physics & Botany*
Maharaj Singh College, Saharanpur (U.P)

Abstract: Present research study deals with the effects of magnetism on the seedling growth and germination of barley (Joan). In this study ninety barley seeds were selected for unformity (criteria being size and color) and then seed were sterilized in 1% mercuric chloride solution and then after proper washing with distilled water, placed in Petri plates. One set of Petri plates was placed in between two bar magnet with there north ends facing the seeds. Similarly in another Petri plates sets magnet was placed with south ends facing the plate. Side by side a control set also maintained observation done at 3rd, 5th, & 7th day of radicle emergence. Result shows that bar magnets can influence the seed germination and seedling growth of barley. Results show that N-N bar magnet promotes more growth as compared to S-S bar magnet and control.

Keywords: Hordeum vulgare, Magnetism, Seedling growth

REFERENCES

Martinez E.; Carbonell M.V. and Amaya J.M., (2000). A static magnet Held of 125 mT stimulate the initial growth stages of barley (*Hordeum vulgare* L,). Electro and magnetobiology, **19**(3), 271-277.

Martinez E., Carbonell M.V., Socorro A., and Amaya J.M. (2001). Biological response of wheat (*Triticum aestivum* L.) to magnet treatment. Proc.First Int.Conf 'Agrolaser 2001', Lublin 26–28. 09. 2001, 63-69.

Pietruszewski S., Kornarzynski K.,and Lacek R., (2001). Germination of wheat grain in an alternating magnetic field. Int. Agmphysics, 15, 269-271.

Lynikiene S. and A. Pozeliene. Effect of electrical field on barley seed germination and stimulation, Agriculture Engineering International: The CIGR Journal of Scientific Research and development, 2003.